
FIGURE 6.5 - 12 DBI TRANSMIT ANTENNA, MEASURED VS PREDICTED ACCUMULATED POWER, 40' RECEIVE ANTENNA HEIGHT, TERRAIN INCLUDED


RECEIVED POWER LEVELS = ACTUAL TRANSMITTERS + TERRAIN



Received Power Data (40 foot) ★-26 to 0 (2) ★-32 to -26 (1) ☆-38 to -32 (17) ☆-44 to -38 (39) ☆-50 to -44 (35) ☆-56 to -50 (29) ★-62 to -56 (12) ★-68 to -62 (3) Tx Pwr = Actual + Terrain -26 to 0 (857) -32 to -26 (881) -38 to -32 (1232) -44 to -38 (659) -50 to -44 (150) ₩ -56 to -50 (57) **3** -62 to -56 (49) ■ -68 to -62 (146) all others (458)

FIGURE 6.6 - 12 DBI TRANSMIT ANTENNA, MEASURED VS PREDICTED ACCUMULATED POWER, 50' RECEIVE ANTENNA HEIGHT, TERRAIN INCLUDED


RECEIVED POWER LEVELS = ACTUAL TRANSMITTERS + TERRAIN



```
Received Power Data (50 foot)
     ★-26 to 0 (2)
     ☆-32 to -26 (6)
     ☆-38 to -32 (20)
     ☆-44 to -38 (48)
     ☆-50 to -44 (32)
     ☆-56 to -50 (21)
     ★-62 to -56 (7)
     ★-68 to -62 (2)
Tx Pwr = Actual + Terrain
     ■ -26 to 0 (877)
     32 to -26 (954)
        -38 to -32 (1212)
        -44 to -38 (573)
        -50 to -44 (119)
    3 -56 to -50
                  (63)
     ∰ -62 to -56
                  (44)
     ■ -68 to -62 (134)
     all others (513)
```

FIGURE 6.7 - 24 DBI TRANSMIT ANTENNA, MEASURED VS PREDICTED ACCUMULATED POWER, 30' RECEIVE ANTENNA HEIGHT, TERRAIN INCLUDED


RECEIVED POWER LEVELS = ACTUAL TRANSMITTERS



```
Received Power Data (30 foot)
     食-32 to -26 (1)
     ☆-38 to -32 (10)
     ☆-44 to -38 (11)
     ☆-50 to -44 (20)
     ☆-56 to -50 (45)
     ★ -62 to -56 (33)
     ★-73 to -62 (14)
Tx Pwr = Actual + Terrain
    -26 to 0 (938)
    # -32 to -26 (1052)
        -38 to -32 (761)
        -44 to -38 (663)
        -50 to -44 (260)
    ₩ -56 to -50
                  (96)
       -62 to -56
                 (98)
    ■ -73 to -62 (418)
    all others (203)
```

FIGURE 6.8 - 24 DBI TRANSMIT ANTENNA, MEASURED VS PREDICTED ACCUMULATED POWER, 40' RECEIVE ANTENNA HEIGHT, TERRAIN INCLUDED


RECEIVED POWER LEVELS = ACTUAL TRANSMITTERS



```
Received Power Data (40 foot)
     ☆-32 to -26 (1)
     ☆-38 to -32 (12)
     ☆-44 to -38 (13)
     ☆-50 to -44 (34)
     ☆-56 to -50 (43)
     ★-62 to -56 (22)
     ★-73 to -62 (9)
Tx Pwr = Actual + Terrain
    ■ -26 to 0 (1047)
    # -32 to -26 (1119)
        -38 to -32 (831)
        -44 to -38 (601)
        -50 to -44 (205)
    # -56 to -50 (61)
    聯 -62 to -56 (112)
    ■ -73 to -62 (394)
    all others (119)
```

FIGURE 6.9 - 24 DBI TRANSMIT ANTENNA, MEASURED VS PREDICTED ACCUMULATED POWER, 50' RECEIVE ANTENNA HEIGHT, TERRAIN INCLUDED

RECEIVED POWER LEVELS = ACTUAL TRANSMITTERS



```
Received Power Data (50 foot)
     ★-32 to -26 (1)
     ☆-38 to -32 (17)
     ☆-44 to -38 (14)
     ☆-50 to -44 (40)
     ☆-56 to -50 (40)
     ★-62 to -56 (15)
     ★-73 to -62 (7)
Tx Pwr = Actual + Terrain
     ■ -26 to 0 (1202)
     -32 to -26 (1203)
        -38 to -32 (822)
        -44 to -38 (538)
        -50 to -44 (93)
       -56 to -50
                  (27)
       -62 to -56 (222)
       -73 to -62 (275)
    all others (107)
```